

Color Laser Printer/
Color Laser MFP

RICOH SP C262DNw/ SP C262SFNw

✓ Printer ✓ Copier ✓ Facsimile ✓ Scanner

RICOH
imagine. change.



SP C262DNw

21
ppm

monochrome
full color

SP C262SFNw

21
ppm

monochrome
full color

Get big results in a small footprint

Looking for a robust color device with wireless networking for your small business? Look no further than the 21 page-per-minute (ppm) RICOH SP C262DNw Color Printer and SP C262SFNw Color Multifunction Printer (MFP). These devices pack high productivity into a small footprint, with Ricoh technology that will deliver years of reliable operation and the superior image quality that your coworkers and customers demand. The SP C262DNw and SP C262SFNw print professional color documents and are compact enough to fit in places where space is limited—including the top of a home-office desk, under a retail shop cash register or on a side desk in a reception area. With ENERGY STAR® certification and EPEAT® Silver* rating, you can reduce energy and resource costs.

*EPEAT Silver rating is only applicable in the USA.

Pack in more capabilities with a compact MFP

The SP C262SFNw offers big business features for your small company or work team, including a 4.3" color touchscreen display with print, copy, scan and fax readily available. Improve your productivity with print and copy speeds of up to 21 ppm and produce professional output at up to 2400 x 600 dpi. Share documents instantly with scan-to-email and scan-to-network folders and save money by reducing paper consumption. Fax documents more conveniently with Super G3 Fax that lets you store up to 200 speed dials. Use Internet Fax to make faxing as simple as email—great for quickly sharing documents on your computer. Plus, with fax forwarding support, rather than print faxes, you can choose to forward them directly to email accounts to save more paper and reduce clutter.



Manage printer and MFP jobs with ease

During last-minute crunches to produce black-and-white business documents for a company meeting or professional-quality color documents for a customer, you'll be confident knowing that you can turn jobs around quickly and easily. With a recovery time of less than 30 seconds and first-print time of about 14 seconds, when you need to perform a task, your device will be ready to go when you are. Plus, you can register up to 12 of your favorite jobs using the SP C262SFNw's touchscreen for quick recall, so you can perform tasks on your MFP even faster. The productive 21-ppm output of both devices lets you fly through jobs, and the high-performance processor adds efficiency by letting you send multiple print jobs to the device simultaneously.



Add flexibility, convenience and mobility

There are a number of ways to save time by printing or scanning from mobile devices. For example, the Near Field Communication (NFC) tag on the front of your printer or MFP lets you perform tasks from Android™ devices—work faster by tapping the NFC tag with your smart phone to print with the RICOH Smart Device Connector app, or easily scan documents with the RICOH SP C260 scan app. Plus, navigating tasks and managing settings from your SP C262SFNw's user-friendly 4.3" color touchscreen or your SP C262DNw's 2-line LCD panel can save you even more time.



Improve communication and reduce costs

Save money and increase productivity

Our SP C262 Series printers are priced competitively, and with their functionality and reliability, your savings will grow. The Single Pass Document Feeder (SPDF) on the SP C262SFNw holds 50 sheets of paper and lets you scan both sides of a two-sided original simultaneously to save time. You can also use ID Copy to copy double-sided ID cards, checks and other small documents in fewer steps to add more efficiency. Plus, the SP C262 Series comes with duplex printing to help you reduce paper consumption even more. Both models have a low average cost per page (CPP), helping to lower your operating costs.



Create impact with high-quality documents

Produce sharp, easy-to-read documents and enhance business communications. With quality-color output, you can reduce trips to the print shop by producing materials for meetings in house. Your proposals, contracts and business letters will come out crisp and clean, and you can add a professional touch by printing colorful company letterheads and logos. You can also print on a variety of media—including letter-size documents, legal-size documents, envelopes, customer receipts and more. Plus, with optional paper trays and up to 751-sheet capacity, you can save time by making fewer trips to your device to reload paper.



Help protect data, and enjoy more ways to save

Add more value by adding restrictions with user codes, such as limiting color print functions to save on toner supplies. The SP C262SFNw gives you even more control over operating costs by letting you restrict users from performing additional functions, such as full-color copying. Plus, with the Locked Print feature, you can require users to enter a four-to-eight digit pass code before releasing a job—helping to ensure documents aren't left unattended at your printer or MFP. This also helps to reduce paper consumption and keep important information safe.



To view detailed features of our multifunction products online go to www.rioh-usa.com/products

RICOH SP C262DNW/SP C262SFNW

SYSTEM SPECIFICATIONS



Engine Specifications

| | |
|---------------------------------------|--|
| RICOH SP C262SFNW | Part # 408139 |
| RICOH SP C262DNW | Part # 408137 |
| Configuration | Desktop |
| Technology | LCD |
| Color/B&W | Color |
| Printing Process | Electro-photographic printing |
| Toner Type | Dry mono-component toner developer |
| Color Print Speed (Letter) | 21 ppm |
| Maximum Monthly Volume | 3,000 prints |
| Maximum Monthly Duty Cycle | 65,000 prints |
| First Page Out Time | 14 seconds |
| Recovery Time from Sleep Mode | 29 seconds |
| Print Resolution | Up to 2400 x 600 dpi |
| Standard Paper Capacity | 250-sheet Tray + 1-sheet Bypass Tray |
| Maximum Paper Capacity | 751 sheets |
| Standard Output Capacity | 150 sheets |
| Supported Paper Sizes | Standard Paper Tray: 3.54" x 5.83" to 8.5" x 14" Bypass Tray: 3.54" x 5.83" to 8.5" x 14" |
| Supported Paper Weights | All Trays: 16 – 43 lb. Bond/90 lb. Index (60 – 160 g/m ²) Duplex: 16 – 24 lb. Bond/90 lb. Index (60 – 90 g/m ²) |
| Supported Paper Types | Thin, Thick, Plain, Recycled, Color, Letterhead, Bond Cardstock, Labels |
| Duplexing | Automatic (standard) |
| Dimensions (W x D x H) | 15.7" x 17.7" x 12.6" (400 x 450 x 320 mm) |
| Weight | 52.5 lbs. (23.8 kg) |
| Power Consumption | SP C262SFNW: 1300W (Maximum) 450W (Printing) 1.3W (Sleep Mode) SP C262DNW: 1300W (Maximum) 450W (Printing) 1.2W (Sleep Mode) SP C262SFNW: 1.5 kWh/week SP C262DNW: 1.4 kWh/week |
| Typical Electricity Consumption (TEC) | 120V, 60Hz, 11A |
| Power Requirements | Certified |
| ENERGY STAR | |
| EPEAT | Silver |

Copy Specifications – SP C262SFNW only

| | |
|---------------------------------------|---|
| Copy Resolution | Up to 2400 x 600 dpi |
| Document Feeder Type | Single Pass Document Feeder (SPDF) |
| Document Feeder Capacity | 50 Sheets |
| Document Feeder Original Size | 5.5" x 5.5" to 8.5" x 14" (140 x 140 mm to 216 x 356 mm) |
| Document Feeder Paper Weight | 14 – 28 lb. Bond (52 – 105 g/m ²) |
| Maximum Original Size | 5.5" x 8.5" to 8.5" x 14" (140 x 140 mm to 216 x 356 mm) |
| Maximum Copy Quantity | 99 copies |
| Preset Reduction & Enlargement Ratios | 50, 65, 78, 93, 129, 155, 200, 400% |
| Zoom Range | 25 – 400% in 1% step |

Copier Features

Image Density Adjustment (manual only: 5 levels), Copy Mode (Text/Photo/Mixed), Color Balance Adjustment, Combine Copy (2-in-1, 4-in-1 via ADF only), Duplex Copy, ID Card Copy (2 in 1), Memory Copy, Photo Mode, Electronic Sorting (collation, ADF only)

Print Specifications

| | |
|--|---|
| Processor Speed | SP C262SFNW: 400 MHz SP C262DNW: 350 MHz 256 MB RAM standard/maximum |
| Memory (Standard/Maximum) | |
| Printer Languages | PCL6/5c, PostScript 3 emulation |
| Connection Type | 10/100Base-TX Ethernet IEEE 802.11 b/g/n Wireless LAN USB 2.0 High Speed Type B USB 2.0 High Speed Type A (for PictBridge, Scan to USB Flash Drives) |
| Font Support | PCL/PS 80 Fonts |
| Network Protocols | TCP/IP, IPP, Bonjour |
| Device Management Utilities | @Remote, Web Image Monitor |
| Supported Operating Systems | Windows Vista, 7, 8.1, 10 Server 2008/R2, Server 2012/R2 Macintosh: OS X 10.9 – 10.12, Linux and Unix Filter Mopria™, RICOH Smart Device Connector App (for printing only) RICOH SP C260 Series Scan App (for scanning only) |
| Mobile Printing | |
| Print Features | 1-999 Set Quantity, Collate, Dithering, Duplexing, Do Not Print Blank Pages, Front Cover, Layout/N-up Printing, Locked Print, Mobile Device Printing, Reduce/Enlarge Print, Rotate Print, User Codes, User ID, Watermarks |
| Scan Specifications – SP C262SFNW only | |
| Scanner Resolution | Color and B&W up to 600 x 600 dpi (SPDF), 1200 x 1200 dpi (Platen) |
| Scanning Speed (Letter) | B&W up to 20 ipm Color up to 12 ipm Up to 8.5" x 11.7" Up to 8.5" x 14" (SPDF) |
| Platen Size | Up to 8.5" x 11.7" (Platen) |
| Maximum Scanning Size | Up to 8.5" x 11.7" (Platen) |
| Scan Modes | Full-color, B&W & Grayscale |
| File Formats | Single Page JPEG Single/Multi Page TIFF Single/Multi Page PDF |
| Scan-To Modes | Scan-to-Email Scan-to-Folder (SMB/FTP) Scan-to-USB |

Scan Features

Scan-to-Email, Scan-to-Folder, Scan-to-USB, Network TWAIN/WIA Scanning for Windows, ICA Scanning for Macintosh, SANE Scanning for Linux

Fax Specifications – SP C262SFNW only

| | |
|---------------------------|---|
| Fax Resolution | Standard Mode: 200 x 100 dpi Detail/Photo Mode: 200 x 200 dpi |
| Fax Scanning Speed w/SPDF | Less than 20-spm (Letter) |
| Modem Speed | 33.6 kbps with auto fallback |
| Fax Compression Method | MH, MR, MMR, JBIG |
| SAF Memory Size | 2MB (Approx. 100 pages based on ITU-T Test Chart #1 in Standard mode) |
| Transmission Speed | G3: 3 seconds per page (JBIG Compression) |
| Quick/Speed Dials | 20 Quick Dials |

Standard Fax Features

Auto Redial, Auto Answer (3–5 rings), Auto/Manual/Substitute/Authorized Reception, Answering Machine Interface (FAX/TAD), Error Correction Mode, User Codes, Memory/Immediate Transmission, Resolution Adjustment, Serial Broadcasting (100 locations), Smoothing, Night Timer, Internet Fax, LAN Fax, PC Fax (Windows only), Fax Only mode, Fax/Tel Manual mode, Fax/Tel Auto mode, Fax/TAD mode

Security Features

Wireless LAN Security - WEP, WPA, WPA2, Locked Print, IPsec User Restrictions

Hardware Options

| | |
|-------------------------|--|
| Paper Feed Unit TK1220 | Part # 407890 |
| Paper Capacity: | 500 sheets |
| Supported Paper Sizes: | Letter, A4 |
| Supported Paper Weight: | 14 – 43 lb. Bond/90 lb. Index (52 – 162 g/m ²) |
| Dimensions (W x D x H): | 15.74" x 17.71" x 5.0" |
| Weight: | 8.9lbs. (4kg). |

Consumables and Yields

| | |
|-----------------------------------|----------------------------|
| Print Cartridge Black SP C252HA | 6,500 pages* Part # 407653 |
| Print Cartridge Cyan SP C252HA | 6,000 pages* Part # 407654 |
| Print Cartridge Magenta SP C252HA | 6,000 pages* Part # 407655 |
| Print Cartridge Yellow SP C252HA | 6,000 pages* Part # 407656 |
| Waster Toner Bottle SP 220 | 25,000 pages Part # 406043 |

*Declared yield values in accordance with ISO/IEC 19798.

Actual yields may vary based on images printed and other factors.

The RICOH SP C262SFNW and SP C262DNW ship with starter toner that yields 1,000 pages (ISO/IEC 19798)

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.

Warranty

The RICOH SP C262SFNW and SP C262DNW are under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, whichever comes first. Please refer to warranty documents shipped with the product for more details.

RICOH
imagine. change.

www.ricoh-usa.com

Ricoh USA, Inc., 70 Valley Stream Parkway, Malvern, PA 19355 1-800-63-RICOH
©2017 Ricoh USA, Inc. All rights reserved. Ricoh® and the Ricoh logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. The content of this document, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them.

R3866-1